

(P) MULTICENTER RCT IN ~~24~~ ~~EDS + ICUS~~ IN THE USA 7 EDS, 17 ICUS

ADULTS

MOT APNEIC OR BEING INTUBATED,
MOT CRASH

4890 HYPOX PEEP FX

7390 ICU 27% ED


(I) PRAGMATIC
NIPPV MASK
TO VENT OR NIPPV MACHINE

FIO2 100

EXP 75

INSP ≥ 10

RR ≥ 10



JAW THROAT

3% ML

(C) MRB ≥ 15 FLUSH RECOMMENDED 98.8% GOT IT
30% BUM \bar{c} VENT 11,390 WITHOUT 1690 SOME ML

INTENTION TO TREAT

(O) HYPOXEMIA $< 85\%$ 9.1% VS. 18.5% 1/2 RISK
DURING / 2 MIN AFTER

ARREST 0.2% VS 1.1% 5X RISK

ASPIRATION NO SIG DIFF

SAT $< 80\%$ INTUBATION TO 2 MIN POST INTUBATION
6.3% VS. 13.2%

BUNDLE

- HIGH FIO2 PEEP
- PEEP PEEP
- INSP PRESS AVG. PEEP (CHECKS)
- APNEIC BREATHS
- APNEIC PEEP