

Procedural Sedation Checklist

- Signed Consent in Chart (**use the one attached to this sheet**)
- Free flowing IV with fluid bag hooked up
- BVM attached to wall oxygen with mask connected and then placed back in packaging
- Suction set-up: tested; with yankaeur attached, but still in its packaging
- Tube Kit at bedside
 - 7-0 ET with stylet placed and 10 cc syringe on; balloon tested.
 - Mac 3 blade attached to handle and tested
 - Oral airway
 - White tab placed back on kit
- Meds at bedside**
 - Sedation Meds
 - Narcan 0.4 mg still if opioid being used, not drawn up
 - Epinephrine, cardiac syringe (1:10,000) unopened and 10 cc NS Flush with needle
 - Glycopyrrolate, 1 vial; not drawn up
- Improvised set-up for ETCO₂ (Nasal Cannula, 16 G angiocath, ETCO₂ tubing, and cartridge)
- Non-Rebreather Mask
- Appropriately sized LMA, left in packaging
- Appropriately sized Non-Invasive Mask, left in packaging

Questions

- Time and contents of last meal ascertained
- Asked about prior reactions to anesthesia or medications
- Asked about drug allergies
- ASA Status calculated
- Ask about Obstructive Sleep Apnea signs/symptoms
- Difficult airway assessment performed

Class 1	Healthy patient, no medical problems
Class 2	Mild systemic disease
Class 3	Severe systemic disease, but not incapacitating
Class 4	Severe systemic disease that is a constant threat to life
Class 5	Moribund, not expected to live 24 hours irrespective of operation
An E is added to the status number to designate an emergency operation.	